

Form PTO-1390 (Modified)  
(REV 10-95)

U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE

ATTORNEY'S DOCKET NUMBER

TRANSMITTAL LETTER TO THE UNITED STATES  
DESIGNATED/ELECTED OFFICE (DO/EO/US)  
CONCERNING A FILING UNDER 35 U.S.C. 371

0327-0836-3 PCT

U.S. APPLICATION NO. (IF KNOWN, SEE 37 CFR

**09 / 508540**INTERNATIONAL APPLICATION NO.  
**PCT/JP99/02690**INTERNATIONAL FILING DATE  
**21 MAY 1999**PRIORITY DATE CLAIMED  
**29 MAY 1998 (EARLIEST)**

TITLE OF INVENTION

**DISPOSABLE BRUSH**

APPLICANT(S) FOR DO/EO/US

**Kazuya OTSUJI, et al.**

Applicant herewith submits to the United States Designated/Elected Office (DO/EO/US) the following items and other information:

1. ☒ This is a **FIRST** submission of items concerning a filing under 35 U.S.C. 371.
2. ☐ This is a **SECOND** or **SUBSEQUENT** submission of items concerning a filing under 35 U.S.C. 371.
3. ☒ This is an express request to begin national examination procedures (35 U.S.C. 371(f)) at any time rather than delay examination until the expiration of the applicable time limit set in 35 U.S.C. 371(b) and PCT Articles 22 and 39(1).
4. ☒ A proper Demand for International Preliminary Examination was made by the 19th month from the earliest claimed priority date.
5. ☒ A copy of the International Application as filed (35 U.S.C. 371 (c) (2))
  - a. ☐ is transmitted herewith (required only if not transmitted by the International Bureau).
  - b. ☒ has been transmitted by the International Bureau.
  - c. ☐ is not required, as the application was filed in the United States Receiving Office (RO/US).
6. ☒ A translation of the International Application into English (35 U.S.C. 371(c)(2)).
7. ☒ A copy of the International Search Report (PCT/ISA/210).
8. ☒ Amendments to the claims of the International Application under PCT Article 19 (35 U.S.C. 371 (c)(3))
  - a. ☐ are transmitted herewith (required only if not transmitted by the International Bureau).
  - b. ☐ have been transmitted by the International Bureau.
  - c. ☐ have not been made; however, the time limit for making such amendments has NOT expired.
  - d. ☒ have not been made and will not be made.
9. ☐ A translation of the amendments to the claims under PCT Article 19 (35 U.S.C. 371(c)(3)).
10. ☒ An oath or declaration of the inventor(s) (35 U.S.C. 371 (c)(4)).
11. ☐ A copy of the International Preliminary Examination Report (PCT/IPEA/409).
12. ☐ A translation of the annexes to the International Preliminary Examination Report under PCT Article 36 (35 U.S.C. 371 (c)(5)).

**Items 13 to 18 below concern document(s) or information included:**

13. ☐ An Information Disclosure Statement under 37 CFR 1.97 and 1.98.
14. ☐ An assignment document for recording. A separate cover sheet in compliance with 37 CFR 3.28 and 3.31 is included.
15. ☒ A **FIRST** preliminary amendment.  
A **SECOND** or **SUBSEQUENT** preliminary amendment.
16. ☐ A substitute specification.
17. ☐ A change of power of attorney and/or address letter.
18. ☐ Certificate of Mailing by Express Mail
19. ☒ Other items or information:

**Request for Consideration of Documents Cited in International Search Report**

Notice of Priority

PCT/IB/304

PCT/IB/308

Drawings ( 4 Sheets )

U.S. APPLICATION NO. (IF KNOWN, SEE 37 CFR

INTERNATIONAL APPLICATION NO.

ATTORNEY'S DOCKET NUMBER

09/508540

PCT/JP99/02690

0327-0836-3 PCT

20. The following fees are submitted:

**BASIC NATIONAL FEE ( 37 CFR 1.492 (a) (1) - (5)) :**

- ☒ Search Report has been prepared by the EPO or JPO ..... \$840.00
- ☐ International preliminary examination fee paid to USPTO (37 CFR 1.482) ..... \$670.00
- ☐ No international preliminary examination fee paid to USPTO (37 CFR 1.482) but international search fee paid to USPTO (37 CFR 1.445(a)(2)) ..... \$760.00
- ☐ Neither international preliminary examination fee (37 CFR 1.482) nor international search fee (37 CFR 1.445(a)(2)) paid to USPTO ..... \$970.00
- ☐ International preliminary examination fee paid to USPTO (37 CFR 1.482) and all claims satisfied provisions of PCT Article 33(2)-(4) ..... \$96.00

**ENTER APPROPRIATE BASIC FEE AMOUNT =****\$840.00**

Surcharge of **\$130.00** for furnishing the oath or declaration later than ☐ 20 ☐ 30 months from the earliest claimed priority date (37 CFR 1.492 (e)).

**\$0.00**

CLAIMS	NUMBER FILED	NUMBER EXTRA	RATE
Total claims	10 - 20 =	0	x \$18.00
Independent claims	1 - 3 =	0	x \$78.00

**\$0.00****\$0.00**Multiple Dependent Claims (check if applicable). ☐**\$0.00****TOTAL OF ABOVE CALCULATIONS =****\$840.00**

Reduction of 1/2 for filing by small entity, if applicable. Verified Small Entity Statement must also be filed (Note 37 CFR 1.9, 1.27, 1.28) (check if applicable). ☐

**\$0.00****SUBTOTAL =****\$840.00**

Processing fee of **\$130.00** for furnishing the English translation later than ☐ 20 ☐ 30 months from the earliest claimed priority date (37 CFR 1.492 (f)).

**\$0.00****TOTAL NATIONAL FEE =****\$840.00**

Fee for recording the enclosed assignment (37 CFR 1.21(h)). The assignment must be accompanied by an appropriate cover sheet (37 CFR 3.28, 3.31) (check if applicable). ☐

**\$0.00****TOTAL FEES ENCLOSED =****\$840.00**Amount to be:  
refunded

\$

charged

\$

☒ A check in the amount of **\$840.00** to cover the above fees is enclosed.

☐ Please charge my Deposit Account No. \_\_\_\_\_ in the amount of \_\_\_\_\_ to cover the above fees.  
A duplicate copy of this sheet is enclosed.

☒ The Commissioner is hereby authorized to charge any fees which may be required, or credit any overpayment to Deposit Account No. **15-0030** A duplicate copy of this sheet is enclosed.

**NOTE: Where an appropriate time limit under 37 CFR 1.494 or 1.495 has not been met, a petition to revive (37 CFR 1.137(a) or (b)) must be filed and granted to restore the application to pending status.**

SEND ALL CORRESPONDENCE TO:

**OBLON, SPIVAK, McCLELLAND, MAIER & NEUSTADT, P.C.**  
1755 Jefferson Davis Highway, Fourth Floor  
Crystal Square Five  
Arlington, Virginia 22202  
703-413-3000

**WILLIAM E. BEAUMONT**  
REGISTRATION NUMBER 30,996

SIGNATURE

**C. Irvin McClelland**

NAME

21,124

REGISTRATION NUMBER

DATE

09/508540  
527 Rec'd PCT/PTO 07 APR 2000

0327-0836-3 PCT

IN THE UNITED STATES PATENT & TRADEMARK OFFICE

IN RE APPLICATION OF: :  
KAZUYA OTSUJI ET AL : ATTN: APPLICATION DIVISION  
SERIAL NO: NEW U.S. PCT APPLICATION  
(Based on PCT/JP99/02690) :  
FILED: HEREWITH :  
FOR: DISPOSABLE BRUSH

PRELIMINARY AMENDMENT

ASSISTANT COMMISSIONER FOR PATENTS  
WASHINGTON, D.C. 20231

SIR:

Prior to a first examination on the merits, please amend the above-identified  
application as follows:

IN THE SPECIFICATION

Page 1, line 1, change "DESCRIPTION" to

--TITLE OF THE INVENTION--;

line 3, change "Technical Field:" to

BACKGROUND OF THE INVENTION

Field of the Invention--;

line 6, change "Background Art:" to

--Discussion of the Background--;

line 22, change "Disclosure of the Invention:" to

--SUMMARY OF THE INVENTION--.

Page 2, line 6, delete in its entirety and insert therefor

--BRIEF DESCRIPTION OF THE DRAWINGS

A more complete appreciation of the present invention and many of the attendant advantages thereof will be readily obtained as the same becomes better understood by reference to the following detailed description when considered in connection with the accompanying drawings.

line 16, change "3." to --4.--;

line 27, delete in its entirety and insert therefor

--DESCRIPTION OF THE PREFERRED EMBODIMENTS--.

Page 14, line 3, delete in its entirety.

IN THE ABSTRACT

Please delete the original abstract on page 17 in its entirety and insert therefor

--ABSTRACT OF THE DISCLOSURE

A disposable brush which is formed of a non-woven fabric or of a pulp of molding. The disposable brush includes a base and a number of projections formed on a first side of the base by allowing portions of the base to project therefrom.--

REMARKS


Favorable consideration of this application, as presently amended, is respectfully requested.

The present preliminary amendment is submitted to place the above-identified application in more proper format under United States practice. By the present preliminary amendment, the specification has been amended to include proper headings and to correct for minor informalities. A new abstract believed to be in more proper format under United States practice is also submitted herein.

The present application is believed to be in condition for a full and thorough examination on the merits. An early and favorable consideration of the present application is hereby respectfully requested.

Respectfully submitted,

OBLON, SPIVAK, McCLELLAND,  
MAIER & NEUSTADT, P.C.



Gregory J. Maier  
Attorney of Record  
Registration No. 25,599  
Surinder Sachar  
Registration No. 34,423

Crystal Square Five - Fourth Floor  
1755 Jefferson Davis Highway  
Arlington, Virginia 22202  
(703) 413-3000  
Fax No.: (703) 413-2220  
SNS/cle  
I:\atty\SNS\03270836.pr

4/PRTS

09/508540

527 Rec'd PCT/PTO 07 APR 2000

1

## DESCRIPTION

### DISPOSABLE BRUSH

#### Technical Field:

5 The present invention relates to a highly practical and inexpensive disposable brush which can be produced easily.

#### Background Art:

Various types of brushes made of paper or fiber have been proposed (Japanese Utility Model Laid-Open Nos. 66367/94 and 36906/92, Japanese Patent Laid-Open No. 135728/97, and Japanese Utility Model Laid-Open No. 69910/87).

10 The brush described in Japanese Utility Model Laid-Open No. 66367/94 has bristles coated with fiber and is relatively difficult to produce. The brush disclosed in Japanese Utility Model Laid-Open No. 36906/92 comprises bristles made of a nonwoven fabric of ultrafine fibers and other parts made of other materials, which is structurally complicated and relatively expensive. These brushes are not disposable. The brush described in  
15 Utility Model Laid-Open No. 69910/87 is a paper-made disposable brush but of low practical use due to insufficient strength.

20 These brushes have no considerations for water absorption while used. An example known as a brush having water absorption is one made of pulp which is prepared by punching out from paperboard. However, being a comb rather than a brush, this has a smaller contact area with an object to be brushed than a brush having a number of projections (bristles) on a plane and is inferior in brushing performance.

#### Disclosure of the Invention:

Accordingly, an object of the present invention is to provide a highly practical and inexpensive disposable brush which can be produced easily.

25 Another object of the invention is to provide a disposable brush which has excellent

brushing performance and high water absorption irrespective of an object of brushing.

5 The present invention accomplished the above objects by providing a disposable brush formed of a nonwoven fabric or of a pulp molding which comprises a base and a number of projections formed on one side of the base by allowing portions of the base to project.

#### Brief Description of the Drawings:

Fig. 1 is a perspective view showing a first embodiment of the disposable brush according to the present invention.

10 Fig. 2 is an enlarged side view of a part of the projections of the disposable brush according to the first embodiment.

Fig. 3 is a perspective view illustrating a way of using the disposable brush according to the first embodiment.

Fig. 4 is a plane view illustrating a surface of a second embodiment of the disposable brush according to the present invention.

15 Fig. 5 is a perspective view illustrating the way of using the disposable brush shown in Fig. 3.

Fig. 6 is a plane view of another example of the second embodiment (corresponding to Fig. 4).

20 Fig. 7 is a plane view of still another example of the second embodiment (corresponding to Fig. 4).

Fig. 8 is an enlarged cross-sectional view of a third embodiment of the disposable brush according to the present invention.

Fig. 9 is an enlarged cross-sectional view, corresponding to Fig. 8, of the disposable brush according to the third embodiment after use.

25 Fig. 10 is a perspective view illustrating another way of using the disposable brush according to the present invention (corresponding to Fig. 3).

#### Best Mode for Carrying out the Invention:

30 The preferred embodiments of the disposable brush according to the present invention will be described by referring to the drawings. Fig. 1 is a perspective view



showing the disposable brush according to the first embodiment. Fig. 2 is an enlarged side view showing a part of the projections of the disposable brush according to the first embodiment. Fig. 3 is a perspective view illustrating a way of using the disposable brush according to the first embodiment.

5           As shown in Fig. 1, the disposable brush 1 according to this embodiment is formed of a single piece of a nonwoven fabric or of a pulp molding and comprises a base 11 having on its side 1s a number of projections 12 which are formed by allowing portions of the base 11 to project.

10           The base 11 has, in its plane view, a rounded rectangular shape with the center of each longer side extending outward to form a nearly semicircular flap 14. The surface 1s of the base 11 has a level difference 16 on the boundary between each flat 14 and the projections 12 in parallel to the longer sides so that the flaps 14 may easily be folded toward the reverse side of the surface 1s.

15           As shown in Fig. 2, a plurality of rows of equally spaced projections 12 are formed on the surface 1s in the longitudinal direction of the base 11 by allowing portions of the base 11 to project. The rows are arranged in such a manner that the projections 12 may not adjoin each other in the width direction of the base 11. As shown in Fig. 2, the projections 12 has a mountain shape of a size. Where the brush 1 is made of a nonwoven fabric, the projections 12 are hollow. When it is made of a pulp molding, the projections  
20   12 are solid.

The nonwoven fabric forming the brush 1 includes spun lace nonwoven, spun bond nonwoven, suction nonwoven, heat bond nonwoven, melt blown nonwoven, and needle punch nonwoven. The nonwoven fabric preferably has a basis weight of 50 to 500 g/m<sup>2</sup>, particularly 200 to 300 g/m<sup>2</sup>.

25           Fibers making up the nonwoven fabric include a fiber of polyethylene (PE), polypropylene (PP), polyethylene terephthalate (PET) or polyamide (PA), mixed fibers comprising two or more of these fibers, and conjugate fibers having a core/sheath structure, a side-by-side structure, etc. made of these fibers. Conjugate fibers having a core/sheath

structure are preferred from the viewpoint of projection formability and high bulkiness. In order to provide the projections with proper compressive strength, the fibers making up the nonwoven fabric preferably have a fineness of 1 to 100 denier.

5 Pulp used for a pulp molding which forms the brush 1 includes single or mixed natural fibers of softwood, hardwood, grass, rice plants, reeds, and so forth. To impart moderate strength to the brush, the fibers preferably have a length of 0.2 to 40 mm. Pulp products circulating on the general market, including pulp sheets such as paperboards and regenerated paper, and pulp blocks, can be reused.

10 The pulp molding is obtained by molding a raw material composition mainly comprising pulp through prescribed means. In order for the raw material composition to be shaped, it usually contains an adhesive, etc. for fiber fixing.

The adhesive to be used includes natural adhesives such as starch and synthetic resin adhesives such as a vinyl acetate resin. The adhesive is applied in a usual manner by, for example, adding directly to the pulp slurry or by dipping a brush in an adhesive solution.  
15 The adhesive is preferably used in an amount of 2% by weight or less, particularly 1% by weight or less, based on the solid content of the pulp slurry.

In order to improve the strength of the brush, it is preferred to use, as a pulp material, a mixture of the above-described natural fibers and an appropriate amount of synthetic fibers (binder fibers) such as polyethylene fiber. In this case, the binder fiber is preferably one capable of developing thermal fusion (adhesion) in a drying and pressing step customarily conducted in pulp molding. In using, for example, polyethylene fiber as a binder fiber, it is preferably used in an amount of 10 to 70% by weight, particularly 30 to 50% by weight, based on the dry weight of the brush 1 according to the present embodiment. Other additives can be used appropriately according to the use of, or  
20 performance properties required of, the brush.  
25

As shown in Fig. 3, the disposable brush 1 of this embodiment has its flaps 14 connected to each other via Magic Tape (registered trade mark) 2, etc. so that a user can use it as fixed to a hand to stroke hair h of an animal or of a carpet, etc. The Magic Tape

2 may have its end fixed to only one of the flaps 14.

The above-described disposable brush 1 can be impregnated with various liquid medicines or chemicals for brushing. The disposable brush 1 impregnated with a liquid medicine will apply the liquid medicine to the skin, hair or hair bulbs to produce various effects according to the kind of the medicine. The applicable medicines include hair growers, hair dyes, bactericides, deodorants, shampoos, and the like.

Where the projections of the disposable brush 1 are hollow, the hollows may be filled with a separate member to improve the compressive strength of the projections 12.

In the disposable brush 1 of the present embodiment, it is preferred for the projections 12 to have a maximum compression load of 1N or more, particularly 3 to 15 N, against compression from the top 13 toward the foot 15. Having a maximum compression load of 1N or more, the projections 12 are prevented from deforming during brushing so that the feel of the projections 12's reaching the skin is not impaired. The "deformation of the projections" herein referred to means that the projections are collapsed during use of the brush, hardly restoring their original shape elastically, and the "feel of the projections' reaching the skin" herein referred to means that the projections are felt to touch the skin to give a moderate massage when used for, for example, brushing the hair of the head.

The maximum compression load was measured according to the following method. Tensilon RTM25 manufactured by Orientec K.K. was used. A load-strain curve was obtained by using a load cell (maximum load: 50 N) under a compression condition of 100 mm/min in head speed. The first peak to occur after the commencement of the measurement was taken as the maximum compression load of the projection (the maximum load the projection can withstand). The measurements made on 10 individual projections (n=10) were averaged.

To give the feel of hair's being groomed, to make the liquid medicine reach the roots of hairs or the skin, and to secure the strength, it is preferred for the projections 12 to have a height H of 3 to 50 mm, particularly 3 to 30 mm, especially 5 to 20 mm, most preferably 10 to 20 mm. The language "the feel of hair's being groomed" means the feel of hair's

being groomed with moderate resistance by brushing.

5 It is preferred for the projections 12 to have their top 13 rounded with a curvature radius  $R$  of 0.5 to 2.5 mm, particularly 1 to 1.5 mm. With the curvature radius  $R$  falling within the above range, there is no fear that brushing may cause pain to the skin or the projections may have insufficient strength. The above preferred curvature radius is also preferred for obtaining the feel of the projections' reaching the skin and for making the liquid medicine reach the roots of hairs or the skin.

10 From the standpoint of rigidity and the feel of the hair's being groomed, the projections 12 preferably have a diameter  $D$ , at their foot 15, of from 3 to 20 mm, particularly 5 to 15 mm, especially 7 to 12 mm.

15 The projections 12 are preferably formed at a density of 2 to 40, particularly 3 to 20, per  $10\text{ cm}^2$  on the surface 1s. The pitch  $P$  of the projections 12 will be defined necessarily by the size and density of the projections 12 and preferably ranges 5 to 22 mm, particularly 10 to 18 mm. The above-described preferred density of the projections 12 is favored for the feel of hair's being brushed, for the liquid medicine to reach the roots of hairs and the skin, and for forming the projections to a prescribed height.

20 Since the disposable brush 1 according to this embodiment is formed of a nonwoven fabric or of a pulp molding, it is easy to manufacture and inexpensive. Being disposal, it is hygienic. Where in particular the brush 1 is formed of a pulp molding, it has high water absorption.

Even though the projections 12 are made of a nonwoven fabric or of a pulp molding, the disposable brush 1 of this embodiment keeps sufficient strength and secures a sufficient contact area with an object of brushing to carry out efficient brushing.

25 Formed of a nonwoven fabric or of a pulp molding, the disposable brush 1 of the present embodiment is suitable to brush or groom furry animals such as dogs and cats, the hair of the head, carpets, and furs.

The brush 1 of the present embodiment can have the projections designed to have an arbitrary height in accordance with the use. Therefore, it performs excellent brushing function for not only general objects of brushing, such as the hair of the head and furs, but objects covered with thick fur, such as certain kinds of dogs and cats.

5           The disposable brush of this embodiment can be produced by, for example, the following method.

In case where the brush 1 is formed of a nonwoven fabric, fibers are cut and carded into a web by a carding machine, and the web is passed through heat rolls to make a nonwoven fabric.

10           The resulting nonwoven fabric is slit to an appropriate width and pressed between male and female molds to form a plurality of projections 12 and level differences 16 for each disposable brush. The pressing is preferably carried out at a mold temperature of 120 to 200°C under a pressing pressure of 0.5 to 20 kgf/cm<sup>2</sup> for a pressing time of 3 to 15 seconds.

15           The thus pressed nonwoven fabric is cut to the shape of the base 11 so as to have the projections 12 and the level differences 16 as positioned in accordance with the plane view of the present embodiment to obtain the disposable brush 1 of the present embodiment.

20           Where the brush 1 is formed of a pulp molding, brush 1 is preferably produced by a pulp molding method. A pulp sheet as a raw material, such as a paperboard, is dissolved in water to make a slurry. The slurry can be used as such but is preferably beaten to provide a brush with moderate strength. The beaten pulp preferably has a freeness of 300 to 800 ml, particularly 400 to 700 ml. Where an adhesive and the like are used, they are added to the slurry after beating.

25           The resulting slurry is poured into a paper mold shaped to the pulp-made brush 1 of the present embodiment to form a pulp layer, molding and dehydrating the pulp layer, and dry pressing the pulp molding between male and female molds to obtain the brush 1 of the embodiment.

The second and the third embodiments of the disposable brush according to the present invention will be described by referring to Figs. 4 through 10. The same description as given to the first embodiment applies appropriately to the matter not explained hereinafter. The same reference numerals as used in Figs. 1 to 3 are used for the same members in Figs. 4 to 10.

The disposable brush 1 of the second embodiment shown in Fig. 4 has slits 21 cut in the peripheral portion of the base 11 made of a nonwoven fabric so that a user may hold the brush 1 by means of the slits 21.

The base 11 is rectangular, and the slits 21 are made in the peripheral portions 24a and 24b at the longitudinal ends of the base 11. Thus, in the disposable brush 1 according to this embodiment, the projections 12 are formed, leaving a margin on both ends, in the longitudinal direction, of the base 11.

The slit 21a in the peripheral portion 24a on one end 25a makes an arc along the shape of that end over almost the whole width of the base 11, while the slit 21b in the peripheral portion 24b on the other end 25b also makes a similar arc but is shorter than the slit 21a in the peripheral portion 24a. It is preferable that the slit 21 be provided on both ends of the brush 1 in the above-described manner. The ratio of the length of one slit 21a to the other slit 21b is preferably in the range of from 1:0.4 to 0.8.

The disposable brush 1 according to this embodiment can be used like a general brush in the following manner. As shown in Fig. 5, the ends 25a and 25b, which are free bands by the slits 21a and 21b, are lifted up on the other side 1s' to make openings 22a and 22b. A user can slide a hand (fingers) from the side of the opening 22a to hold the brush 1.

The brush 1 is usable by either the right or the left hand or may be held by a holding tool, etc. Handled in this manner, the brush 1 is easy to hold and use. In particular, where the brush 1 is made of a single piece of nonwoven fabric as in this embodiment, the ease of use is further improved.

The disposable brush 1 according to the embodiment shown in Fig. 6 has two short slits on the end 25b; the left-hand slit 21b' and the right-hand slit 21b'. On use, fingers are

slid through the slits 21b'.

The disposable brush 1 of the embodiment shown in Fig. 7 has cross slits. In detail, slits 21c, 21d, and 21e are cut in the peripheral portion 24 where no projections are formed.

On use, fingers are slid through the slits 21c, 21d, and 21e to hold and use the brush 1.  
 5 The brush of this particular embodiment is for the right hand, and it is convenient for a user to slide the thumb finger through the slit 21c, the forefinger through the slit 21d, and the third finger through the slit 21e.

While the second embodiment described above has been illustrated with particular reference to examples in which a slit is cut in both ends in the longitudinal direction, the slit  
 10 may be made on only one of the ends or on the periphery of the shorter sides. The material making the brush is not limited to a nonwoven fabric and may be pulp.

The disposable brush according to the third embodiment is made of a nonwoven fabric. As shown in Fig. 8, it has a water-retaining member 32 provided on the reverse side of the base 11. The outer surface of the water-retaining member 32 is covered with a  
 15 cover sheet 33. The water-retaining member 32 comprises pulp 41 and a water-absorbent polymer 42. The pulp 41 is arranged in contact with the reverse side of the base 11, and the absorbent polymer 42 is disposed between the pulp 41 and the cover sheet 33.

As shown in Fig. 8, the water-retaining member 32 is provided to fill the inside of the projections 12, with its outer surface covered with the cover sheet 33. The periphery  
 20 of the cover sheet 33 is fixed to the reverse side of the flaps 14 with an adhesive, etc. The pulp 41 constituting the water-retaining member 32 is arranged in contact with the reverse side of the base 11, and the absorbent polymer 42 is provided between the pulp 41 and the cover sheet 33.

The pulp 41, inclusive of the part filling the inside of the projections 12, is preferably  
 25 applied to the reverse side of the base 11 to have a basis weight of 0.02 to 0.6 g/cm<sup>2</sup>, particularly 0.1 to 0.3 g/cm<sup>2</sup>. The packing density of the pulp 41 is preferably in a range of 0.01 to 0.12 g/cm<sup>3</sup>, particularly 0.05 to 0.6 g/cm<sup>3</sup>. The absorbent polymer 42 is preferably applied to the inside of the cover sheet 33 to have a basis weight of 0.002 to 0.04 g/cm<sup>3</sup>,

particularly 0.004 to 0.01 g/cm<sup>2</sup>.

The water-retaining member 32 can be of pulp, absorbent polymers, clay, or a like material. In particular, materials employed in disposable diapers and sanitary napkins are useful as the pulp 41 and the absorbent polymer 42 with no particular restrictions.

5        The cover sheet 33 is to cover and hold the water-retaining member 32 provided in the hollows on the reverse side of the base 11. The cover sheet 33 is preferably of PE, PP, polyvinyl chloride, etc.

10        The brush 1 according to this embodiment is produced by placing the base 11 with its reverse side up, filling the hollows on the reverse side with a predetermined amount of the pulp 41, applying a prescribed amount of the absorbent polymer 42 thereon, covering the surface of the absorbent polymer 42 with the cover sheet 33, and fixing the periphery of the cover sheet 33 to the back side of the flaps 14 of the brush 1 with an adhesive, etc.

15        The brush 1 according to this embodiment exerts the following actions and effects while used. When, for example, wet hair of the head is brushed with the brush 1 of the embodiment as held by hand with the projections 12 touching the skin, the water quickly passes the projections 12 and are absorbed by the pulp 41. The water content absorbed by the pulp 41 is then absorbed by the highly absorbent polymer 42 disposed in contact with the pulp 41. As a result, the pulp 41 restores water absorbing capacity and continues absorbing water through the projections 12. This action lasts until the water absorbing capacity of the absorbent polymer 42 approaches saturation. As the water absorption of the water-retaining member 32 increases, the absorbent polymer 42 swells, and the brush 1 assumes the state shown in Fig. 9. Even in this state, since the water-retaining member 32 is covered and supported by the cover sheet 33, the water-retaining member 32 having absorbed and retained water does not hinder the use of the brush 1.

25        Besides having the function of a brush, the brush 1 according to this embodiment possesses not only water absorbing properties but slow-releasing properties, i.e., properties of gradually transferring a water content and the like held in the brush to a dry object. Therefore, the nonwoven fabric-made brush having the water-retaining member 32



impregnated with various liquid medicines will be used effectively as a skin care brush, a dry shampoo brush, a hair dyeing brush, a hair growing brush, a scalp care brush, and so on.

5 The kind and amount of the water-retaining member 32 used in this embodiment are subject to appropriate alteration according to the use. By properly selecting the shape of the brush 1 and the kind and arrangement of the water-retaining member 32, the cover sheet 33 could be omitted, or the cover sheet 33 and the method of fixing it could be altered appropriately.

10 The brush 1 of this embodiment exhibits high water absorption and slow-releasing properties in addition to the brushing function. Therefore, it is suited for use as a quick drying brush for pets such as dogs and cats, carpets, furs and for the hair of the head. Where impregnated with various liquid medicines, the brush achieves brushing while producing the effects of the liquid medicines applied.

15 The disposable brush according to the present invention is not limited to the above-described embodiments, and various modifications can be given thereto without departing from the spirit and scope of the present invention.

For example, the size of the base 11, which is designed to the size of a human's hand in the above embodiments, can be varied appropriately according to the use.

The projections 12, which are arranged on the surface 1s of the base 11 at regular intervals, may be arranged in various ways including a random arrangement.

20 The projections 12, which are of the same shape and size, may be sawtooth-shaped or pyramid-shaped as well as mountain-shaped and may be of different sizes.

25 Without the Magic Tape shown in Fig. 3, the brush 1 of the above-described embodiments may be used as illustrated in Fig. 10. That is, a hand is applied to the reverse side of the base 11 in parallel with the longer side, and the flaps 14 are folded to the reverse side with the thumb finger and the little finger attached to the surface side 1s of the flaps 14

each arranged in the center of the loner side.

The disposable brush of the present invention can be produced by methods other than the above-mentioned one.

The aforementioned embodiments are interchangeable.

5

### Examples

Examples of the disposable brush according to the present invention are summarized in Table 1.

TABLE 1

		Example		
		1	2	3
Maximum Compression Load (N)		10	15	5
Height of Projections (mm)		10	20	10
Top Curvature Radius (mm)		1	1	1.5
Pitch of Projections (mm)		16	16	22
Diameter of Projection Foot (mm)		12	12	12
Basis Weight of a Nonwoven Fabric (g/m <sup>2</sup> )		250	350	250
Evaluation	Feel of hair's being groomed	B	B	C
	Feel of projections' reaching the skin	A	A	B
	Deformation of projections during use	A	B	B

10

All the brushes of Examples 1 to 3 were prepared by cutting a piece of appropriate size from a nonwoven fabric made of core/sheath conjugated fibers comprising polyethylene terephthalate (PET) as a core and a polyethylene terephthalate/polypropylene mixture as a sheath and forming the cut piece between male and female molds at a mold temperature of 120 to 200°C under a pressing pressure of 0.5 to 20 kgf/cm<sup>2</sup> for a pressing time of 3 to 15

15

seconds.

The evaluation of Examples in Table 1 was made as follows.

[Method of evaluating the feel of hair's being groomed, the feel of the projections' reaching the skin, and the deformation of the projections during use]

- Each of the disposable brushes of Examples 1 to 3 was used by 10 test users to brush their hair and rated on the following basis: poor=1; rather poor=2; rather good=3; good=4. The points allotted to each brush were added up and graded as follows: 4 to 12=C; 13 to 21=B; 22 to 30 or more=A.

Another series of Examples of the disposable brush according to the present invention are shown in Table 2 below.

10

TABLE 2

		Example		
		4	5	6
Maximum Compression Load (N)		4.2	8.3	10.7
Top Curvature Radius (mm)		1.5	1.5	2
Height of Projections (mm)		11	15	20
Pitch of Projections (mm)		10	14	17
Diameter of Projection Foot (mm)		4	7	10
Density of Brush (g/m <sup>3</sup> )		0.1	0.12	0.15
Evaluation	Feel of hair's being groomed	A	A	B
	Feel of projections' reaching the skin	B	A	A
	Deformation of projections during use	B	B	B

The brushes of Examples 4 to 6 were prepared by a pulp molding method as follows.

- Pulp having a freeness of 450 ml was prepared from chemical pulp as a pulp material. A polyamideamine epichlorohydrin resin was added as an adhesive to the pulp in a slurry form in an amount of 0.1% by weight based on the solid content of the pulp slurry. The resulting slurry was poured into a mold of the respective shape to form a pulp layer, molding and dehydrating the pulp layer, and dry pressing the pulp molding between male

and female molds at a mold temperature of 70 to 120°C under a pressing pressure of 2 to 10 kgf/cm<sup>2</sup> for a pressing time of 30 to 120 minutes.

Industrial Applicability:

5 The disposable brush according to the present invention is easy to produce, inexpensive, hygienic, and of high practical use.

10 Having a number of projections with sufficient strength and height on its surface, the brush of the present invention is suitable for brushing animals covered with fur, such as dogs and cats, the hair of the head, carpets, furs, and the like, and, in particular, suited to even those objects covered with thick fur. The brush of the present invention formed of a pulp molding has high water absorption and is therefore suitable used as a quick drying brush. When impregnated with various liquid medicines, the brush makes it possible to perform brushing while producing the effects of the medicines.




## CLAIMS

1. A disposable brush formed of a nonwoven fabric or of a pulp molding which comprises a base and a number of projections formed on one side of said base by allowing portions of said base to project.
2. The disposable brush as set forth in claim 1, wherein said projections have a maximum compression load of 1N or more against compression from the top to the foot thereof.
3. The disposable brush as set forth in claim 1, wherein said projections have a height of 3 to 30 mm.
4. The disposable brush as set forth in claim 1, wherein said projections have their top rounded with a curvature radius of 0.5 to 2.5 mm.
5. The disposable brush as set forth in claim 1, wherein said molding is one molded by a pulp molding method.
6. The disposable brush as set forth in claim 1, wherein said base is a sheet base and has a slit in the peripheral portion thereof so that said brush can be held by hand by means of said slit.
7. The disposable brush as set forth in claim 6, wherein said base is rectangular, and said slit is cut in the width direction of said base in the peripheral portion on each end of said base in the longitudinal direction thereof.
8. The disposable brush as set forth in claim 6, wherein said slit is a cross slit and made in three positions.
9. The disposable brush as set forth in claim 1, wherein a water-retaining member is provided on the reverse side of said base.



10. The disposable brush as set forth in claim 9, wherein said water-retaining member comprises pulp and a water-absorbent polymer, and the outer surface of said water-retaining member is covered with a cover sheet.

## ABSTRACT

A disposable brush (1) formed of a nonwoven fabric or of a pulp molding which comprises a base (11) and a number of projections (12) formed on one side (1s) of the base (11) by allowing portions of the base (11) to project.


**Fig.1****Fig.2****Fig.3**



**Fig.4****Fig.5**



**Fig.6**



**Fig.7**






Fig.8




Fig.9





Fig.10



# Declaration and Power of Attorney For Patent Application

## 特許出願宣言書及び委任状

### Japanese Language Declaration

#### 日本語宣言書

下記の氏名の発明者として、私は以下の通り宣言します。

As a below named inventor, I hereby declare that:

私の住所、私書箱、国籍は下記の私の氏名の後に記載された通りです。

My residence, post office address and citizenship are as stated next to my name.

下記の名称の発明に関して請求範囲に記載され、特許出願している発明内容について、私が最初かつ唯一の発明者（下記の氏名が一つの場合）もしくは最初かつ共同発明者（下記の名称が複数の場合）であると信じています。

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled.

"DISPOSABLE BRUSH"

上記発明の明細書は、

the specification of which

☐ 本書に添付されています。

☐ is attached hereto.

☐ \_\_\_\_月\_\_\_\_日に提出され、米国出願番号または特許協定条約国際出願番号を\_\_\_\_とし、  
(該当する場合) \_\_\_\_に訂正されました。

☒ was filed on May 21, 1999  
as United States Application Number or  
PCT International Application Number  
PCT/JP99/02690 and was amended on  
\_\_\_\_ (if applicable).

私は、特許請求範囲を含む上記訂正後の明細書を検討し、内容を理解していることをここに表明します。

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above.

私は、連邦規則法典第37編第1条56項に定義されるとおり、特許資格の有無について重要な情報を開示する義務があることを認めます。

I acknowledge the duty to disclose information which is material to patentability as defined in Title 37, Code of Federal Regulations, Section 1.56.

# Japanese Language Declaration

(日本語宣言書)

私は、米国法典第35編119条 (a) - (d) 項又は365条 (b) 項に基づき下記の、米国以外の国の少なくとも一カ国を指定している特許協力条約365 (a) 項に基づく国際出願、又は外国での特許出願もしくは発明者証の出願についての外国優先権をここに主張するとともに、優先権を主張している、本出願の前に出願された特許または発明者証の外国出願を以下に、枠内をマークすることで、示しています。

Prior Foreign Application(s)  
外国での先行出願

10-149041

(Number)  
(番号)

10-282689

(Number)  
(番号)

Japan

(Country)  
(国名)

Japan

(Country)  
(国名)

\*SEE ATTACHED SHEET

私は、第35編米国法典119条 (e) 項に基づいて下記の米国特許出願規定に記載された権利をここに主張いたします。

(Application No.)  
(出願番号)

(Filing Date)  
(出願日)

私は、下記の米国法典第35編120条に基づいて下記の米国特許出願に記載された権利、又は米国を指定している特許協力条約365条 (c) に基づく権利をここに主張します。また、本出願の各請求範囲の内容が米国法典第35編112条第1項又は特許協力条約で規定された方法で先行する米国特許出願に開示されていない限り、その先行米国出願書提出日以降で本出願書の日本国内または特許協力条約国際提出日までの期間中に入手された、連邦規則法典第37編1条56項で定義された特許資格の有無に関する重要な情報について開示義務があることを認識しています。

(Application No.)  
(出願番号)

(Filing Date)  
(出願日)

(Application No.)  
(出願番号)

(Filing Date)  
(出願日)

私は、私自信の知識に基づいて本宣言書中で私が行なう表明が真実であり、かつ私の入手した情報と私の信じることに基づく表明が全て真実であると信じていること、さらに故意になされた虚偽の表明及びそれと同等の行為は米国法典第18編第1001条に基づき、罰金または拘禁、もしくはその両方により処罰されること、そしてそのような故意による虚偽の声明を行なえば、出願した、又は既に許可された特許の有効性が失われることを認識し、よってここに上記のごとく宣誓を致します。

I hereby claim foreign priority under Title 35, United States Code, Section 119 (a)-(d) or 365(b) of any foreign application(s) for patent or inventor's certificate, or Section 365(a) of any PCT International application which designated at least one country other than the United States, listed below and have also identified below, by checking the box, any foreign application for patent or inventor's certificate, or PCT International application having a filing date before that of the application on which priority is claimed.

Priority Claimed  
優先権主張

29/May/1998

(Day/Month/Year Filed)  
(出願年月日)

5/October/1998

(Day/Month/Year Filed)  
(出願年月日)

☒ ☐

Yes No  
はい いいえ

☒ ☐

Yes No  
はい いいえ

I hereby claim the benefit under Title 35, United States Code, Section 119(e) of any United States provisional application(s) listed below.

(Application No.)  
(出願番号)

(Filing Date)  
(出願日)

I hereby claim the benefit under Title 35, United States Code, Section 120 of any United States application(s), or Section 365(c) of any PCT International application designating the United States, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT International application in the manner provided by the first paragraph of Title 35, United States Code Section 112, I acknowledge the duty to disclose information which is material to patentability as defined in Title 37, Code of Federal Regulations, Section 1.56 which became available between the filing date of the prior application and the national or PCT International filing date of application.

(Status: Patented, Pending, Abandoned)  
(現況: 特許許可済、係属中、放棄済)

(Status: Patented, Pending, Abandoned)  
(現況: 特許許可済、係属中、放棄済)

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

**Japanese Language Declaration**  
(日本語宣言書)

委任状：私は下記の発明者として、本出願に関する一切の手続きを米特許商標局に対して遂行する弁理士または代理人として、下記の者を指名いたします。  
(弁護士、または代理人の指名及び登録番号を明記のこと)

**POWER OF ATTORNEY:** As a named inventor, I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and transact all business in the Patent and Trademark Office connected therewith: *(list name and registration number)*

Norman F. Oblon, Reg. No. 24,618; Marvin J. Spivak, Reg. No. 24,913; C. Irvin McClelland, Reg. No. 21,124; Gregory J. Maier, Reg. No. 25,599; Arthur I. Neustadt, Reg. No. 24,854; Richard D. Kelly, Reg. No. 27,757; James D. Hamilton, Reg. No. 28,421; Eckhard H. Kuesters, Reg. No. 28,870; Robert T. Pous, Reg. No. 29,099; Charles L. Gholz, Reg. No. 26,395; Vincent J. Sunderdick, Reg. No. 29,004; William E. Beaumont, Reg. No. 30,996; Robert F. Gnuse, Reg. No. 27,295; Jean-Paul Lavalleye, Reg. No. 31,451; Stephen G. Baxter, Reg. No. 32,884; Martin M. Zoltick, Reg. No. 35,745; Robert W. Hahl, Reg. No. 33,893; Richard L. Treanor, Reg. No. 36,379; Steven P. Weihrouch, Reg. No. 32,829; John T. Goolkasian, Reg. No. 26,142; Richard L. Chinn, Reg. No. 34,305; Steven E. Lipman, Reg. No. 30,011; Carl E. Schlier, Reg. No. 34,426; James J. Kulbaski, Reg. No. 34,648; Richard A. Neifeld, Reg. No. 35,299; J. Derek Mason, Reg. No. 35,270; Surinder Sachar, Reg. No. 34,423; Christina M. Gadiano, Reg. No. 37,628; Jeffrey B. McIntyre, Reg. No. 36,867; and Paul E. Rauch, Reg. No. 38,591 with full powers of substitution and revocation.

書類送付先

Send Correspondence to:

OBLON, SPIVAK, McCLELLAND, MAIER & NEUSTADT, P.C.  
FOURTH FLOOR  
1755 JEFFERSON DAVIS HIGHWAY  
ARLINGTON, VIRGINIA 22202 U.S.A.

直接電話連絡先：(名前及び電話番号)

Direct Telephone Calls to: (name and telephone number)  
**(703) 413-3000**

単独発明者または第一の共同発明者の氏名		Full name of sole or first joint inventor <u>Kazuya OTSUJI</u>	
発明者の署名	日付	Inventor's signature <u>Kazuya Otsuji</u>	Date March 21, 2000
住所		Residence <u>TOCHIGI, JAPAN</u>	
国籍		Citizenship Japanese	
郵便の宛先		Post Office Address c/o Kao Corporation, Research Laboratories, 2606, Akabane,	
		Ichikai-machi, Haga-gun, TOCHIGI 321-3426 JAPAN	
第二の共同発明者の氏名		Full name of second joint inventor, if any <u>Masayuki OKAWA</u>	
第二の共同発明者の署名	日付	Second joint Inventor's signature <u>Masayuki Okawa</u>	Date March 21, 2000
住所		Residence <u>TOCHIGI, JAPAN</u>	
国籍		Citizenship Japanese	
郵便の宛先		Post Office Address c/o Kao Corporation, Research Laboratories, 2606, Akabane,	
		Ichikai-machi, Haga-gun, TOCHIGI 321-3426 JAPAN	

(第三以降の共同発明者についても同様に記載し、署名すること)

(Supply similar information and signature for third and subsequent joint inventors.)

# Japanese Language Declaration

(日本語宣言書)

第三の共同発明者の氏名	300	Full name of third joint inventor, if any Yasuki TSUTSUMI
第三の共同発明者の署名	日付	Third joint inventor's signature Yasuki Tsutsumi Date March 21, 2000
住所		Residence TOCHIGI, JAPAN SPX
国籍		Citizenship JAPANESE
郵便の宛先		Post Office Address c/o Kao Corporation, Research Laboratories, 2606, Akabane, Ichikai-machi, Haga-gun, TOCHIGI 321-3426 JAPAN

第四の共同発明者の氏名	400	Full name of fourth joint inventor, if any Kaoru HAMADA
第四の共同発明者の署名	日付	Fourth joint inventor's signature Kaoru Hamada Date March 21, 2000
住所		Residence TOKYO, JAPAN SPX
国籍		Citizenship Japanese
郵便の宛先		Post Office Address c/o Kao Corporation, 14-10, Nihonbashi Kayaba-cho 1-chome, Chuo-ku, TOKYO 103-0025 JAPAN

第五の共同発明者の氏名	500	Full name of fifth joint inventor, if any Jun YAMAMOTO
第五の共同発明者の署名	日付	Fifth joint inventor's signature Jun Yamamoto Date March 21, 2000
住所		Residence TOCHIGI, JAPAN SPX
国籍		Citizenship Japanese
郵便の宛先		Post Office Address c/o Kao Corporation, Research Laboratories, 2606, Akabane, Ichikai-machi, Haga-gun, TOCHIGI 321-3426 JAPAN

第六の共同発明者の氏名	600	Full name of sixth joint inventor, if any Keiichiro SUGAI
第六の共同発明者の署名	日付	Sixth joint inventor's signature Keiichiro Sugai Date March 21, 2000
住所		Residence TOCHIGI, JAPAN SPX
国籍		Citizenship Japanese
郵便の宛先		Post Office Address c/o Kao Corporation, Research Laboratories, 2606, Akabane, Ichikai-machi, Haga-gun, TOCHIGI 321-3426 JAPAN

(第六またはそれ以降の共同発明者に対しても同様な情報および署名を提供すること。)

(Supply similar information and signature for third and subsequent joint inventors.)

## Japanese Language Declaration

700		Full name of seventh joint inventor <u>Yoshiaki KUMAMOTO</u>	
	日付	Inventor's signature <u>Yoshiaki Kumamoto</u>	Date March 21, 2000
住所		Residence <u>TOCHIGI, JAPAN</u>	
国籍		Citizenship Japanese	
郵便の宛先		Post Office Address c/o Kao Corporation, Research Laboratories, 2606, Akabane,	
		Ichikai-machi, Haga-gun, TOCHIGI 321-3426 JAPAN	

800		Full name of eighth joint inventor <u>Kenichi OTANI</u>	
	日付	Inventor's signature <u>Kenichi Otani</u>	Date March 21, 2000
住所		Residence <u>TOCHIGI, JAPAN</u>	
国籍		Citizenship Japanese	
郵便の宛先		Post Office Address c/o Kao Corporation, Research Laboratories, 2606, Akabane,	
		Ichikai-machi, Haga-gun, TOCHIGI 321-3426 JAPAN	

900		Full name of ninth joint inventor <u>Hidesato KIZAKI</u>	
	日付	Inventor's signature <u>Hidesato Kizaki</u>	Date March 21, 2000
住所		Residence <u>TOKYO, JAPAN</u>	
国籍		Citizenship Japanese	
郵便の宛先		Post Office Address c/o Kao Corporation, Research Laboratories, 2-1-3 Bunka,	
		Sumida-ku, TOKYO 131-0044 JAPAN	

	Inventor's signature	Date
日付	Full name of tenth joint inventor	
住所	Residence	
国籍	Citizenship	
郵便の宛先	Post Office Address	

(第 11 またはそれ以降の共同発明者に対しても同様な  
情報および署名を提供すること。)

(Supply similar information and signature for eleventh and  
subsequent joint inventors.)



Prior Foreign Applications (continued)

Priority Claimed

10-282690	Japan	5/October/1998	Yes
10-371607	Japan	25/December/1998	Yes